Readiness Level of Hurricane Research Division Projects and Products

Project/Product	Readiness Level	
Improvements to operational statistical tropical cyclone intensity forecast models using wind structure and eye predictors	7	
Customers: National Hurricane Center, Central Pacific Hurricane Center, Joint Typhoon Warning Center		
Tropical Cyclone Genesis Index	7	
Customers: National Hurricane Center		
Improving dropsonde usage in NOAA operations: Accounting for dropsonde drift so that inner-core dropsondes can be assimilated Customers: Environmental Modeling Center		9
Improving dropsonde usage in NOAA operations: Adding dynamic observation errors into the Hurricane Weather Research and Forecasting model for dropsondes and flight level data Customers: Environmental Modeling Center		9
Improving dropsonde usage in NOAA operations: Assessment of the best practice for assimilating full resolution dropsonde data Customers: Environmental Modeling Center	5	
Development and upgrades to the Hurricane Weather Research and Forecasting basin-scale model Customers: Environmental Modeling Center	8	
Hurricane Weather Research and Forecasting model physics upgrade Customers: Environmental Modeling Center		9
Airborne tail Doppler radar data for G-550 aircraft evaluation Customers: NOAA's Observing System Council		9

1: Basic principles have been observed and reported.	2: Technology concept and/or application has been formulated.	 Analytical and experimental critical function and/or characteristic proof-of- concept. 	 Component/subsystem validation in laboratory environment. 	5: System/subsystem validation in relevant environment.
6: System/subsystem model or prototyping demonstration in a relevant end-to-end environment.	7: System prototyping demonstration in an operational environment.	8: Actual completed and "mission qualified" through test and demo in operational environment.	9: Actual system "mission proven" through successful operations.	

Readiness Level of Hurricane Research Division Projects and Products

Project/Product	Readiness Level	
FIOJECI/FIOUUCI		
Assessment of dropsondes that have the most impact on forecast errors Customers: Environmental Modeling Center	8	
Aircraft reconnaissance weather forecast model impact assessment Customers: Environmental Modeling Center	8	
NOAA hurricane seasonal outlook Customers: NOAA		9
Development and testing of the Hurricane Analysis Forecasting System (HAFS)—Global nesting system in real-time Customers: Environmental Modeling Center	6	
customers. Environmental modeling center		
Hurricane Analysis Forecasting System (HAFS)—Multiple nest processing code in repository	4	
Hurricane Weather Research and Forecasting model basin-scale transition to the Weatherand Climate Operational Supercomputing System (WCOSS)	8	
Customers: Environmental Modeling Center		
Recalibration of the stepped-frequency microwave radiometer	4	
Customers: National Hurricane Center, Aircraft Operations Center, Air Force 53rd Weather Reserve Squadron		
Hurricane Weather Research and Forecasting model impact assessment: Addition of		9
end-point dropsondes on Air Force C-130 missions		
Customers: Environmental Modeling Center, National Hurricane Center, Air Force 53rd Weather		
Reserve Squadron		

1: Basic principles have been observed and reported.	2: Technology concept and/or application has been formulated.	 Analytical and experimental critical function and/or characteristic proof-of- concept. 	4: Component/subsystem validation in laboratory environment.	5: System/subsystem validation in relevant environment.
6: System/subsystem model or prototyping demonstration in a relevant end-to-end environment.	7: System prototyping demonstration in an operational environment.	8: Actual completed and "mission qualified" through test and demo in operational environment.	9: Actual system "mission proven" through successful operations.	

Readiness Level of Hurricane Research Division Projects and Products

Project/Product	Readiness Level
Hurricane Weather Research and Forecasting (HWRF) model 2018 implementation: Assimilation of frequency microwave radiometer and G-IV tail Doppler radar data into the operational HWRF model Customers: Environmental Modeling Center, National Hurricane Center	9
Hurricane Field Program: Engineering transmissions to enable assimilation into multiple tropical cyclones Customers: Environmental Modeling Center, National Hurricane Center	9
Hurricane Field Program: Assessment of feasibility of assimilating single-antenna airborne tail Doppler radar from the NOAA P-3 and G-IV aircraft Customers: Environmental Modeling Center, National Hurricane Center	4
Change G-IV aircraft flight paths to include two circumnavigation circles for improvement of inner-core model data assimilation Customers: Environmental Modeling Center, National Hurricane Center	9

1: Basic principles have been observed and reported.	 Technology concept and/or application has been formulated. 	 Analytical and experimental critical function and/or characteristic proof-of- concept. 	 Component/subsystem validation in laboratory environment. 	5: System/subsystem validation in relevant environment.
6: System/subsystem model or prototyping demonstration in a relevant end-to-end environment.	7: System prototyping demonstration in an operational environment.	8: Actual completed and "mission qualified" through test and demo in operational environment.	9: Actual system "mission proven" through successful operations.	

Readiness Level of Ocean Chemistry and Ecosystems Division Projects and Products

Project/Product	Readiness Level	
Subsurface automatic samplers		7
Customers: Research community, academia, STEM educators		
Environmental automated underwater vehicle (eAUV) testing in the California Current		7
Customers: National Marine Fisheries Service, National Ocean Service		
Quantitative polymerase chain reaction (qPCR) assay for detection of eDNA from green turtles	3	
Customers: National Marine Fisheries Service		
Enhancing fisheries management with 'Omics research	5	
Customers: National Marine Fisheries Service, South Atlantic Fish Management Council, Gulf of Mexico Fishery Management Council		
Microbial source tracking technology for land-based sources of pollution impacts in Saipan		7
Customers: Bureau of Environmental and Coastal Quality (Commonwealth of the Northern Mariana Islands), Pall-Gelman Corporation		
Proteomics coral stress test	2	
Customers: All entities responsible for shallow-water coral reefs		
Integrated ecosystem assessment application for the Florida Keys National Marine Sanctuary		7
Customers: Florida Keys National Marine Sanctuary, other national marine sanctuaries, marine protected areas		
Florida Bay juvenile sportfish performance measure		8
Customers: US Army Corps of Engineers, South Florida Water Management District, South Florida Ecosystem Restoration Task Force		

1: Basic principles have been observed and reported.	2: Technology concept and/or application has been formulated.	 Analytical and experimental critical function and/or characteristic proof-of- concept. 	4: Component/subsystem validation in laboratory environment.	5: System/subsystem validation in relevant environment.
6: System/subsystem model or prototyping demonstration in a relevant end-to-end environment.	7: System prototyping demonstration in an operational environment.	8: Actual completed and "mission qualified" through test and demo in operational environment.	9: Actual system "mission proven" through successful operations.	

Readiness Level of Physical Oceanography Division Projects and Products

Project/Product	Readiness Level	
US Argo Data Assembly Center		9
Customers: National Weather Service, US Naval Oceanographic Office, National Centers for Environmental Information, scientific community, operational numerical modeling community		
Mandatory ship reporting system		9
Customers: National Marine Fisheries Service, US Coast Guard		
State of the Climate articles Customers: NOAA		9
Underwater glider operations for tropical cyclone intensification studies and forecasts		9
Customers: National Weather Service, US Naval Oceanographic Office		
Iridium satellite transmission of XBT observations		9
Customers: Scientific community, operational numerical modeling community		
NOAA Climate Prediction Center experimental seasonal severe weather outlook	7	
Customers: NOAA Climate Prediction Center, NOAA Storm Prediction Center		
CoastWatch OceanViewer	8	
Customers: NOAA hurricane field operations		
Sargassum inundation risk reports	8	
Customers: Local, state, and international governments in the Caribbean, Gulf of Mexico, and Florida coast		
CoastWatch Global Vibrio risk fields	7	
Customers: National Ocean Service, European Center for Disease Prevention and Control		

1: Basic principles have been observed and reported.	2: Technology concept and/or application has been formulated.	 Analytical and experimental critical function and/or characteristic proof-of- concept. 	 Component/subsystem validation in laboratory environment. 	5: System/subsystem validation in relevant environment.
6: System/subsystem model or prototyping demonstration in a relevant end-to-end environment.	7: System prototyping demonstration in an operational environment.	8: Actual completed and "mission qualified" through test and demo in operational environment.	9: Actual system "mission proven" through successful operations.	

Readiness Level of Physical Oceanography Division Projects and Products

Project/Product	Readiness Level	
Environmental conditions in the Gulf of Mexico for Bluefin Tuna stock assessments. Customers: National Marine Fisheries Service	7	•
Climate Diagnostics Bulletin Customers: National Weather Service, National Centers for Environmental Prediction		9
CoastWatch satellite-derived currents and tropical cyclone heat potential Customers: Scientific community, weather services		9

1: Basic principles have been observed and reported.	2: Technology concept and/or application has been formulated.	 Analytical and experimental critical function and/or characteristic proof-of- concept. 	4: Component/subsystem validation in laboratory environment.	5: System/subsystem validation in relevant environment.
 System/subsystem model or prototyping demonstration in a relevant end-to-end environment. 	7: System prototyping demonstration in an operational environment.	8: Actual completed and "mission qualified" through test and demo in operational environment.	9: Actual system "mission proven" through successful operations.	